EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1543	(($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobile) with $4Certif$8 with $4Authenticat$5 with (Configur$4 or Arrang$4 or Setup or Associat$4 or Connect$4 or Install$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 10:32
L2	640	l1 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 10:35
L5	1	10/618873	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 09:57
L6	1	l5 $4Certif$8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 09:59
L7	37	(($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobile or Set-top-box or phone or ($4portab$4 or MultiMedia?Card or MMC or SanDisk$2 or CompactFlash$2 or (MMC?SD near card$2) or (removable near memory) or smart$8 or IC$1 or $4Chip$4 or (integrated adj circuit$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or $4volatile$4)) $4Certif$8 $4Authenticat$5 (Configur$4 or Arrang$4 or Setup or Associat$4 or Connect$4 or Install$5)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 10:41

L8	14	I7 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 10:43
L9	6	(($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobile or Set-top-box or phone or ($4portab$4 or MultiMedia?Card or MMC or SanDisk$2 or CompactFlash$2 or (MMC?SD near card$2) or (removable near memory) or smart$8 or IC$1 or $4Chip$4 or (integrated adj circuit$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or $4volatile$4)) $4Certif$8 $4Authenticat$5 (Configur$4 or Arrang$4 or Setup or Associat$4 or Connect$4 or Install$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/09/22 10:45
L10	2	I9 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 10:49

L11	557	(($4Certif$8 $4Authenticat$5).ti. or ($4Certif$8 $4Authenticat$5).ab.) (($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobile or Set-top-box or phone or ($4portab$4 or MultiMedia?Card or MMC or SanDisk$2 or CompactFlash$2 or (MMC?SD near card$2) or (removable near memory) or smart$8 or IC$1 or $4Chip$4 or (integrated adj circuit$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or $4volatile$4)) with $4Certif$8 with $4Authenticat$5 with (Configur$4 or Arrang$4 or Setup or Associat$4 or Connect$4 or Install$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 10:56
L12	87	(($4Certif$8 with $4Authenticat$5). ti. ($4Certif$8 with $4Authenticat$5).ab.) (($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobile or Set-top-box or phone or ($4portab$4 or MultiMedia?Card or MMC or SanDisk$2 or CompactFlash$2 or (MMC?SD near card$2) or (removable near memory) or smart$8 or IC$1 or $4Chip$4 or (integrated adj circuit$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or $4volatile$4)) with $4Certif$8 with $4Authenticat$5 with (Configur$4 or Arrang$4 or Setup or Associat$4 or Connect$4 or Install$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 10:48
L13	36	l12 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:01

L14	123	(($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobile or Set-top-box or phone or ($4portab$4 or MultiMedia?Card or MMC or SanDisk$2 or CompactFlash$2 or (MMC?SD near card$2) or (removable near memory) or smart$8 or IC$1 or $4Chip$4 or (integrated adj circuit$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or $4volatile$4) or PLD or FPGA or Circuit$4) with $4Certif$8).ti. (($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobile or Set-top-box or phone or ($4portab$4 or MultiMedia?Card or MMC or SanDisk$2 or CompactFlash$2 or (MMC?SD near card$2) or (removable near memory) or smart$8 or IC$1 or $4Chip$4 or (integrated adj circuit$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or $4volatile$4) or PLD or FPGA or Circuit$4) with $4Certif$8 with $4Authenticat$5 with (Configur$4 or Arrang$4 or Setup or Associat$4 or Connect$4 or Install$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:03
L15	50	l14 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:08

| L16 | 1 | (($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobile or Set-top-box or phone or ($4portab$4 or MultiMedia?Card or MMC or SanDisk$2 or CompactFlash$2 or (MMC?SD near card$2) or (removable near memory) or smart$8 or IC$1 or $4Chip$4 or (integrated adj circuit$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or $4volatile$4) or PLD or FPGA or Circuit$4) with $4Certif$8).ti. (($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobile or Set-top-box or phone or ($4portab$4 or MultiMedia?Card or MMC or SanDisk$2 or CompactFlash$2 or (MMC?SD near card$2) or (removable near memory) or smart$8 or IC$1 or $4Chip$4 or (integrated adj circuit$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or $4volatile$4) or PLD or FPGA or Circuit$4) with Manufactu$4 with $4Certif$8 with $4Authenticat$5 with (Configur$4 or Arrang$4 or Setup or Associat$4 or Connect$4 or Install$5)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/09/22 11:06 |

EAST Search History

L17	12	(($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobile or Set-top-box or phone or ($4portab$4 or MultiMedia?Card or MMC or SanDisk$2 or CompactFlash$2 or (MMC?SD near card$2) or (removable near memory) or smart$8 or IC$1 or $4Chip$4 or (integrated adj circuit$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or $4volatile$4) or PLD or FPGA or Circuit$4) with $4Certif$8).ab. (($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobile or Set-top-box or phone or ($4portab$4 or MultiMedia?Card or MMC or SanDisk$2 or CompactFlash$2 or (MMC?SD near card$2) or (removable near memory) or smart$8 or IC$1 or $4Chip$4 or (integrated adj circuit$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or $4volatile$4) or PLD or FPGA or Circuit$4) with Manufactu$4 with $4Certif$8 with $4Authenticat$5 with (Configur$4 or Arrang$4 or Setup or Associat$4 or Connect$4 or Install$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:12
L18	4	l17 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:13

L19	32	(($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobile or Set-top-box or phone or ($4portab$4 or MultiMedia?Card or MMC or SanDisk$2 or CompactFlash$2 or (MMC?SD near card$2) or (removable near memory) or smart$8 or IC$1 or $4Chip$4 or (integrated adj circuit$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or $4volatile$4) or PLD or FPGA or Circuit$4) with Manufactu$4 with $4Certif$8 with $4Authenticat$5 with (Configur$4 or Arrang$4 or Setup or Associat$4 or Connect$4 or Install$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:19
L20	11	l19 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:21
L21	33	((($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobile or Set-top-box or phone) or ($4portab$4 or MultiMedia$4 or MMC or SanDisk$2 or CompactFlash$2 or (MMC?SD near card$2) or (removable near memory) or smart$8 or IC$1 or $4Chip$4 or (integrated adj circuit$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or $4volatile$4)) Manufactu$4 $4Certif$8 $4Authenticat$5 (Configur$4 or Arrang$4 or Setup or Associat$4 or Connect$4 or Install$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2007/09/22 11:23

EAST Search History

L22	11	l21 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:29
L23	166	((($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobile or Set-top-box or phone) or ($4portab$4 or MultiMedia?Card or MMC or SanDisk$2 or CompactFlash$2 or (MMC?SD near card$2) or (removable near memory) or smart$8 or IC$1 or $4Chip$4 or (integrated adj circuit$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or $4volatile$4)) Manufactu$4 ($4Certif$8 with $4Authenticat$5) (Configur$4 or Arrang$4 or Setup or Associat$4 or Connect$4 or Install$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/09/22 11:25
L24	101	((($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobile or Set-top-box or phone) or ($4portab$4 or MultiMedia?Card or MMC or SanDisk$2 or CompactFlash$2 or (MMC?SD near card$2) or (removable near memory) or smart$8 or IC$1 or $4Chip$4 or (integrated adj circuit$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or $4volatile$4)) ((Manufactu$4 or platform) with $4Certif$8 with $4Authenticat$5) (Configur$4 or Arrang$4 or Setup or Associat$4 or Connect$4 or Install$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/09/22 11:46

L25	33	l24 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:54
L26	25	("20020019941" | "5022077" | "5444850" | "5473692" | "5539828" | "5568552" | "5633932" | "5751809" | "5796840" | "5799141" | "5805706" | "5805712" | "5818939" | "5825879" | "5828753" | "5835594" | "5844986" | "5907619" | "5974416" | "6070246" | "6185612" | "6427227").PN. OR ("6647494").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/09/22 11:39
L27	3	(((($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobile or Set-top-box or phone) or ($4portab$4 or MultiMedia?Card or MMC or SanDisk$2 or CompactFlash$2 or (MMC?SD near card$2) or (removable near memory) or smart$8 or IC$1 or $4Chip$4 or (integrated adj circuit$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or $4volatile$4)) ((Manufactu$4 or platform) with $4Certif$8 with $4Authenticat$5))).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 11:53

L28	30	(((($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobile or Set-top-box or phone) or ($4portab$4 or MultiMedia?Card or MMC or SanDisk$2 or CompactFlash$2 or (MMC?SD near card$2) or (removable near memory) or smart$8 or IC$1 or $4Chip$4 or (integrated adj circuit$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or $4volatile$4)) ((Manufactu$4 or platform) with $4Certif$8 with $4Authenticat$5))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 12:54
L29	13	l28 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 12:58
L32	17	(US-20040049674-$).did. or (US-7270193-$ or US-7254711-$ or US-7159114-$ or US-7107247-$ or US-7039802-$ or US-7016666-$ or US-6854056-$ or US-6647494-$ or US-5966446-$ or US-5568552-$). did. or (WO-2065696-$).did. or (US-20020098830-$ or US-5721781-$ or US-6427091-$ or US-20030046544-$ or WO-200062519-$).did.	US-PGPUB; USPAT; EPO; DERWENT	AND	ON	2007/09/22 12:02
L33	2	l32 performanc$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 12:44
L34	6	l32 (performanc$5 or character$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 12:45

L35	2	(((($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobile or Set-top-box or phone) or ($4portab$4 or MultiMedia?Card or MMC or SanDisk$2 or CompactFlash$2 or (MMC?SD near card$2) or (removable near memory) or smart$8 or IC$1 or $4Chip$4 or (integrated adj circuit$2) or SIM or ROM or (Read adj only adj memory) or RAM or (Random adj Access adj Memory)or $4volatile$4)) ((Manufactu$4 or platform) with $4Certif$8 with $4Authenticat$5) Performanc$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/09/22 13:00
L36	2	l35 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:08
L37	0	(($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobil$4 or Set?top?box$3 or $4phone$4 or $4portab$4 or smart$8 or IC$1 or $4Chip$4 or platform$4) with $4Certif$8 with $4Authenticat$5 with Performanc$4 with ($4Boot$4 or $4Restart$4 or $4Power$4 or $4Reset$4 or Shutdown$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:06

L38	47	(($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobil$4 or Set?top?box$3 or $4phone$4 or $4portab$4 or smart$8 or IC$1 or $4Chip$4 or platform$4) $4Certif$8 $4Authenticat$5 Performanc$4 ($4Boot$4 or $4Restart$4 or $4Power$4 or $4Reset$4 or Shutdown$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/09/22 13:13
L39	31	l38 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:16
L40	490	ginter$4.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:09
L41	20	l39 not l40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:10
L42	4	($4Certif$8 with $4Authenticat$5).ti. ($4Certif$8 with $4Authenticat$5).ab. (($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobil$4 or Set?top?box$3 or $4phone$4 or $4portab$4 or smart$8 or IC$1 or $4Chip$4 or platform$4) ($4Certif$8 near $4Authenticat$5) Performanc$4 ($4Boot$4 or $4Restart$4 or $4Power$4 or $4Reset$4 or Shutdown$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:21

L43	2	I42 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:35
L44	921	($4Certif$8 with $4Authenticat$5).ti. or ($4Certif$8 with $4Authenticat$5).ab. (($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobil$4 or Set?top?box$3 or $4phone$4 or $4portab$4 or smart$8 or IC$1 or $4Chip$4 or platform$4) ($4Certif$8 near $4Authenticat$5) Performanc$4 ($4Boot$4 or $4Restart$4 or $4Power$4 or $4Reset$4 or Shutdown$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:23
L45	855	($4Certif$8 with $4Authenticat$5).ti. or ($4Certif$8 with $4Authenticat$5).ab. (($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobil$4 or Set?top?box$3 or $4phone$4 or $4portab$4 or smart$8 or IC$1 or $4Chip$4 or platform$4) same ($4Certif$8 near $4Authenticat$5) same Performanc$4 same ($4Boot$4 or $4Restart$4 or $4Power$4 or $4Reset$4 or Shutdown$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:25

L46	855	($4Certif$8 with $4Authenticat$5).ti. or ($4Certif$8 with $4Authenticat$5).ab. ((($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobil$4 or Set?top?box$3 or $4phone$4 or $4portab$4 or smart$8 or IC$1 or $4Chip$4 or platform$4) with ($4Certif$8 near $4Authenticat$5)) same Performanc$4 same ($4Boot$4 or $4Restart$4 or $4Power$4 or $4Reset$4 or Shutdown$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:27
L47	855	($4Certif$8 with $4Authenticat$5).ti. or ($4Certif$8 with $4Authenticat$5).ab. ((($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobil$4 or Set?top?box$3 or $4phone$4 or $4portab$4 or smart$8 or IC$1 or $4Chip$4 or platform$4) near ($4Certif$8 near $4Authenticat$5)) same Performanc$4 same ($4Boot$4 or $4Restart$4 or $4Power$4 or $4Reset$4 or Shutdown$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:28
L48	855	($4Certif$8 with $4Authenticat$5).ti. or ($4Certif$8 with $4Authenticat$5).ab. ((($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobil$4 or Set?top?box$3 or $4phone$4 or $4portab$4 or smart$8 or IC$1 or $4Chip$4 or platform$4) near ($4Certif$8 near $4Authenticat$5)) with Performanc$4 with ($4Boot$4 or $4Restart$4 or $4Power$4 or $4Reset$4 or Shutdown$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:30

EAST Search History

L49	0	(($4Certif$8 with $4Authenticat$5).ti. or ($4Certif$8 with $4Authenticat$5).ab.) (((($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobil$4 or Set?top?box$3 or $4phone$4 or $4portab$4 or smart$8 or IC$1 or $4Chip$4 or platform$4) near ($4Certif$8 near $4Authenticat$5)) with Performanc$4 with ($4Boot$4 or $4Restart$4 or $4Power$4 or $4Reset$4 or Shutdown$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:32
L50	0	(($4Certif$8 with $4Authenticat$5).ti. or ($4Certif$8 with $4Authenticat$5).ab.) (((($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobil$4 or Set?top?box$3 or $4phone$4 or $4portab$4 or smart$8 or IC$1 or $4Chip$4 or platform$4) with ($4Certif$8 near $4Authenticat$5)) same Performanc$4 same ($4Boot$4 or $4Restart$4 or $4Power$4 or $4Reset$4 or Shutdown$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:33
L51	1	(((($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobil$4 or Set?top?box$3 or $4phone$4 or $4portab$4 or smart$8 or IC$1 or $4Chip$4 or platform$4) with ($4Certif$8 near $4Authenticat$5)) same Performanc$4 same ($4Boot$4 or $4Restart$4 or $4Power$4 or $4Reset$4 or Shutdown$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:36

L52	0	I51 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:38
L53	9	((($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobil$4 or Set?top?box$3 or $4phone$4 or $4portab$4 or smart$8 or IC$1 or $4Chip$4 or platform$4) with ($4Certif$8 with $4Authenticat$5)) same Performanc$4 same ($4Boot$4 or $4Restart$4 or $4Power$4 or $4Reset$4 or Shutdown$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:39
L54	2	I53 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:41
L55	66	((($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobil$4 or Set?top?box$3 or $4phone$4 or $4portab$4 or smart$8 or IC$1 or $4Chip$4 or platform$4) with ($4Certif$8 with $4Authenticat$5)) same Performanc$4) ($4Boot$4 or $4Restart$4 or $4Power$4 or $4Reset$4 or Shutdown$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:55
L56	40	I55 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 13:53

L57	18	(US-20040049674-$).did. or (US-7270193-$ or US-7254711-$ or US-7159114-$ or US-7107247-$ or US-7039802-$ or US-7016666-$ or US-6854056-$ or US-6647494-$ or US-5966446-$ or US-5568552-$ or US-6542610-$).did. or (WO-2065696-$).did. or (US-20020098830-$ or US-5721781-$ or US-6427091-$ or US-20030046544-$ or WO-200062519-$).did.	US-PGPUB; USPAT; EPO; DERWENT	AND	ON	2007/09/22 13:50
L58	17	l57 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 14:12
L59	3	l58 ((($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobil$4 or Set?top?box$3 or $4phone$4 or $4portab$4 or smart$8 or IC$1 or $4Chip$4 or platform$4) ($4Certif$8 with $4Authenticat$5)) Performanc$4) ($4Boot$4 or $4Restart$4 or $4Power$4 or $4Reset$4 or Shutdown$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 14:11
L60	39	(US-20030018892-$ or US-20010044904-$ or US-20020099952-$ or US-20020188763-$ or US-20030120935-$ or US-20030135744-$ or US-20030196085-$ or US-20040078568-$).did. or (US-3996449-$ or US-5737523-$ or US-5802590-$ or US-6148083-$ or US-6185678-$ or US-6189103-$ or US-6263431-$ or US-6412069-$ or US-7159240-$ or US-7174457-$ or US-6957332-$).did. or (WO-200180482-$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 14:10

L61	7	l60 (((\$4Node\$3 or \$4Workstat\$4 or \$4Terminal\$3 or \$4Client\$3 or \$4host\$3 or \$4station\$2 or \$4devic\$3 or \$4server\$2 or Apparat\$4 or \$4Processo\$4 or \$4machin\$4 or \$4computer\$4 or \$4hardware\$4 or handheld or mobil\$4 or Set?top?box\$3 or \$4phone\$4 or \$4portab\$4 or smart\$8 or IC\$1 or \$4Chip\$4 or platform\$4) (\$4Certif\$8 with \$4Authenticat\$5)) Performanc\$4) (\$4Boot\$4 or \$4Restart\$4 or \$4Power\$4 or \$4Reset\$4 or Shutdown\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 14:11
L62	4	l61 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 14:13
L63	1	l5 performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 14:21
L64	0	l5 character\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 14:22
S1	4	AZEMA-JEROME.in. CHATEAU-ALAIN.in. BALARD-ERIC. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 16:18
S2	25	AZEMA-JEROME.in. CHATEAU-ALAIN.in. BALARD-ERIC. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/04 16:18
S3	780	713/156.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 16:18

S4	2	S2 S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 16:18
S5	0	S4 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 17:46
S6	11	S2 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 16:19
S7	11	S2 @ad<"20010730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 16:19
S8	812	((access$5 with certificat$4) with (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4)) (authentica$6 with certificat$5) (certificat$5 with (Configur$5 or Organiz$4 or Setup$4 or Arrang$4 or Install$6 or Establish$4) with (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 17:22
S9	177	((access$5 with certificat$4) with (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4)) (authentica$6 with certificat$5) (certificat$5 with (Configur$5 or Organiz$4 or Setup$4 or Arrang$4 or Install$6 or Establish$4) with (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/04 17:26
S10	75	S9 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 17:23

S11	0	((authentica$6 and certificat$5).ti. or (authentica$6 and certificat$5). ab.) and (((access$5 with certificat$4) with (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4)) (authentica$6 with certificat$5) (certificat$5 with (Configur$5 or Organiz$4 or Setup$4 or Arrang$4 or Install$6 or Establish$4) with (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4)) ((power adj on) or (power adj up) or (start adj up) or Boot$5 or Reset$5 or Reboot$5 or Post or Restar$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/04 17:46
S12	5	(((access$5 with certificat$4) with (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4)) (authentica$6 with certificat$5) (certificat$5 with (Configur$5 or Organiz$4 or Setup$4 or Arrang$4 or Install$6 or Establish$4) with (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4)) ((power adj on) or (power adj up) or (start adj up) or Boot$5 or Reset$5 or Reboot$5 or Post or Restar$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/04 17:32
S13	0	S12 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/22 08:45

EAST Search History

S14	438	(((access$5 with certificat$4) with (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4)) (authentica$6 with certificat$5) (certificat$5 with (Configur$5 or Organiz$4 or Setup$4 or Arrang$4 or Install$6 or Establish$4) with (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4)) ((power adj on) or (power adj up) or (start adj up) or Boot$5 or Reset$5 or Reboot$5 or Post or Restar$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 17:33
S15	101	(((((access$5 near10 certificat$4) with (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4)) with (authentica$6 near10 certificat$5)) same (certificat$5 with (Configur$5 or Organiz$4 or Setup$4 or Arrang$4 or Install$6 or Establish$4) with (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:04
S16	0	((authentica$6 certificat$5).ti. (authentica$6 certificat$5).ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/04 17:46
S17	647	((authentica$6 certificat$5).ti. (authentica$6 certificat$5).ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:04
S18	4	S15 S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 17:46
S19	3	S18 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 17:50

S20	11	("5689638" | "5999711" | "6119230" | "6128738" | "6182142" | "6353886" | "6401211" | "6484258" | "6598167").PN. OR ("6785729"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/04 17:50
S21	11	S20 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:10
S22	150	((((access$5 with certificat$4) with (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4)) with (authentica$6 with certificat$5)) same (certificat$5 with (Configur$5 or Organiz$4 or Setup$4 or Arrang$4 or Install$6 or Establish$4) with (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:12
S23	8	(authentica$6 certificat$5).ti. ((((access$5 with certificat$4) with (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4)) with (authentica$6 with certificat$5)) same (certificat$5 with (Configur$5 or Organiz$4 or Setup$4 or Arrang$4 or Install$6 or Establish$4) with (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:09
S24	4	S23 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:15
S25	119	(access$5 with certificat$4 with (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4) with (authentica$6 with certificat$5) with (Configur$5 or Organiz$4 or Setup$4 or Arrang$4 or Install$6 or Establish$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:14

S26	6	((authentica$6 certificat$5).ti. (authentica$6 certificat$5).ab.) (access$5 with certificat$4 with (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4) with (authentica$6 with certificat$5) with (Configur$5 or Organiz$4 or Setup$4 or Arrang$4 or Install$6 or Establish$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:16
S27	3	S26 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:16
S28	38	((authentica$6 certificat$5).ti. or (authentica$6 certificat$5).ab.) (access$5 with certificat$4 with (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4) with (authentica$6 with certificat$5) with (Configur$5 or Organiz$4 or Setup$4 or Arrang$4 or Install$6 or Establish$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:28
S29	20	S28 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:29
S30	18	((authentica$6 certificat$5).ti. and (authentica$6 certificat$5).ab.) (access$5 same certificat$4 same (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4) same (authentica$6 with certificat$5) same (Configur$5 or Organiz$4 or Setup$4 or Arrang$4 or Install$6 or Establish$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:37
S31	12	S30 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:38
S32	6	(US-20030097592-$).did. or (US-6785729-$ or US-5999711-$ or US-6636975-$ or US-7039802-$). did. or (US-20010045451-$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2007/01/04 18:29

S33	9	S31 not S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:29
S34	128	((authentica$6 adj3 certificat$5).ti. and (authentica$6 adj3 certificat$5). ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:37
S35	68	((authentica$6 adj certificat$5).ti. and (authentica$6 adj certificat$5). ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:43
S36	6	((authentica$6 adj certificat$5).ti. and (authentica$6 adj certificat$5). ab.) (access$5 certificat$4 (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4) (authentica$6 with certificat$5) (Configur$5 or Organiz$4 or Setup$4 or Arrang$4 or Install$6 or Establish$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:45
S37	5	S36 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:49
S38	56	(authentica$6 adj certificat$5) (access$5 adj2 certificat$4) (Configur$5 adj3 (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:48
S39	1	(authentica$6 adj certificat$5) (access$5 adj2 certificat$4) (Configur$5 adj3 (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/04 18:47
S40	56	(authentica$6 adj certificat$5) (access$5 adj2 certificat$4) (Configur$5 adj3 (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:48

EAST Search History

S41	1	((authentica$6 certificat$5).ti. (authentica$6 certificat$5).ab.) (authentica$6 adj certificat$5) (access$5 adj2 certificat$4) (Configur$5 adj3 (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:49
S42	14	((authentica$6 certificat$5).ti. or (authentica$6 certificat$5).ab.) (authentica$6 adj certificat$5) (access$5 adj2 certificat$4) (Configur$5 adj3 (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:58
S43	9	S42 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 18:59
S44	93	(authentica$6 adj2 certificat$5) (access$5 adj2 certificat$4) (Configur$5 adj3 (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 19:36
S45	38	S44 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 19:36
S46	16	(US-20030097592-$ or US-20030076962-$).did. or (US-6785729-$ or US-5999711-$ or US-6636975-$ or US-7039802-$ or US-6826690-$ or US-6754829-$ or US-7130999-$ or US-6807577-$ or US-7050589-$ or US-6463534-$ or US-6310966-$ or US-6223291-$). did. or (US-20010045451-$ or EP-1132796-$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2007/01/04 19:35
S47	16	S46 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 20:03

EAST Search History

S48	6	S47 (authentica$6 adj2 certificat$5) (access$5 adj2 certificat$4) (Configur$5 adj3 (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 19:59
S49	3	("20020029350" | "6367013" | "6553493").PN. OR ("7050589"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/04 19:37
S50	10	("5220603" | "5339403" | "5497421" | "5761309" | "5784463" | "5825877" | "5943423" | "6088451" | "6233577" | "6446109").PN. OR ("6807577").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/04 19:37
S51	19	("5005200" | "5481720" | "5590199" | "5706427" | "5841970" | "5930804" | "5944824" | "5987232" | "6016476" | "6035402" | "6161185" | "6167518" | "6189103" | "6275941" | "6356937").PN. OR ("6636975").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/04 19:37
S52	35	("5659616" | "5671279" | "5712914" | "5796841" | "5878144" | "5884158" | "5903878" | "5987440").PN. OR ("6463534"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/04 19:37
S53	51	("4109237" | "4405829" | "4641349" | "4868877" | "5214699" | "5224173" | "5259025" | "5263097" | "5386104" | "5412727" | "5428357" | "5457747" | "5581630" | "5619620" | "5623545" | "5659616" | "5712914" | "5841865" | "5867578" | "5870723" | "5872848" | "5930804" | "5943423" | "6012039" | "6044462" | "6105010" | "6148387" | "6154879").PN. OR ("6310966"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/04 19:37
S54	56	("5138712" | "5260999" | "5579222" | "5671412" | "5758069" | "5758088").PN. OR ("6223291"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/04 19:38
S55	0	S49 S50 S51 S52 S53 S54	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/04 19:38
S56	166	S49 S50 S51 S52 S53 S54	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/04 19:38

S57	14	S56 (authentica$6 adj3 certificat$5) (access$5 adj3 certificat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 19:39
S58	0	((authentica$6 adj2 certificat$5) near20 (access$5 adj2 certificat$4) near20 (Configur$5 adj3 (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 19:57
S59	0	((authentica$6 adj2 certificat$5) near50 (access$5 adj2 certificat$4) near50 (Configur$5 adj3 (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 19:57
S60	0	((authentica$6 adj2 certificat$5) near100 (access$5 adj2 certificat$4) near100 (Configur$5 adj3 (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 19:57
S61	68	(authentica$6 adj2 certificat$5) (access$5 adj2 certificat$4) (Configur$5 adj3 (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4)) ((power adj on) or (power adj up) or (start adj up) or Boot$5 or Reset$5 or Reboot$5 or Post or Restar$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 20:43
S62	0	(authentica$6 adj2 certificat$5) (access$5 adj2 certificat$4) (Configur$5 adj3 (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4)) ((power adj on) or (power adj up) or (start adj up) or Boot$5 or Reset$5 or Reboot$5 or Post or Restar$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/01/04 20:00
S63	25	S61 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 20:40
S64	20	("5029206" | "5369705" | "5654958" | "5748736" | "6173399").PN. OR ("6751729").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2007/01/04 20:39

S65	16	S64 @ad<"20020730"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 20:40
S66	8	(US-6223291-$ or US-6310966-$ or US-6463534-$ or US-6636975-$ or US-6807577-$ or US-7050589-$ or US-6490367-$ or US-6751729-$). did.	USPAT	AND	ON	2007/01/04 20:41
S67	6	S66 authentica$6 certificat$5 access$5 Configur$5 (Node$3 or Workstat$4 or Terminal$3 or Client$3 or User$2 or host$3 or station$2 or devic$4) ((power adj on) or (power adj up) or (start adj up) or Boot$5 or Reset$5 or Reboot$5 or Post or Restar$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/04 20:44
S68	39	(US-20030018892-$ or US-20010044904-$ or US-20020099952-$ or US-20020188763-$ or US-20030120935-$ or US-20030135744-$ or US-20030196085-$ or US-20040078568-$).did. or (US-3996449-$ or US-5737523-$ or US-5802590-$ or US-6148083-$ or US-6185678-$ or US-6189103-$ or US-6263431-$ or US-6412069-$ or US-7159240-$ or US-7174457-$ or US-6957332-$).did. or (WO-200180482-$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 19:58
S69	8	(US-6807577-$ or US-6636975-$ or US-7050589-$ or US-6751729-$ or US-6490367-$ or US-6463534-$ or US-6223291-$ or US-6310966-$). did.	USPAT	AND	ON	2007/09/21 19:58
S70	1	10/618873	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 20:25
S71	2	"6463534".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 20:29

EAST Search History
====

S72	1	10/241665	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 20:34
S73	1543	(($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client$3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or $4machin$4 or $4computer$4 or $4hardware$4 or handheld or mobile) with $4Certif$8 with $4Authenticat$5 with (Configur$4 or Arrang$4 or Setup or Associat$4 or Connect$4 or Install$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/09/21 21:25

9/22/2007 2:42:33 PM
C:\Documents and Settings\tgergiso\My Documents\EAST\Workspaces\10618873\10618873.wsp